



BRITA®

Top Pro

I was looking for ways to help us meet our CSR goals and shrink our carbon footprint. In BRITA VIVREAU, I found the right self-service water dispenser for us. It has helped cut down single-use plastic waste in our office. Plus, we can count on great-tasting water, whenever we want. Brand-name BRITA filtration technology gives us peace of mind.

Top Pro

Versatility meets reliability.



Medium or high capacity versions

Easy Access Panel
additional control device
(can be optionally installed and flexibly positioned)


The BRITA HygienePlus solution provides effective protection for dispensers and is designed for environments where hygiene is of the utmost importance.



-86% CO₂ compared to pre-bottled water

Two installation options

- Floorstanding
- Countertop



• Intuitive display and choice of touch dispensing or mechanical buttons

• ThermalGate™ powerful thermal-disinfection feature protects against retrograde contamination from external sources. Supplied as standard

• High-quality materials stainless steel

• Focus on sustainability: natural refrigerant and extremely low power consumption





Benefits







- Unlimited unchilled still or chilled still, sparkling or semi-sparkling water
- Made-by-BRITA quality, all filters are manufactured in Germany and the dispenser is assembled in Italy
- Shrink your footprint: using a water dispenser generates up to seven times less CO₂ than pre-bottled water
- Capacity: 50 l/h or 85 l/h



Top Pro

Technical data



Model	Top Pro still + sparkling	Top Pro still	
Design / Type	countertop	countertop	base cabinet
Types of water	   	 	
Configuration options			
Hygiene feature	BRITA ThermalGate™ or BRITA HygienePlus	BRITA ThermalGate™ or BRITA HygienePlus	
Dispensing buttons	touch dispensing or mechanical buttons	touch dispensing	
For installation independent of existing counters			base cabinet
For installation in barrier-free environments	Easy Access Panel	Easy Access Panel	
For installation without waste water connection	waste water container	waste water container	
Specifications			
Cooling capacity	medium cooler: 50 l/h large cooler: 85 l/h	medium cooler: 50 l/h large cooler: 85 l/h	
Unit dimensions (W x H x D)	278 x 530 x 518 mm	278 x 530 x 518 mm	base cabinet: 227 x 910 x 518 mm base plate: 440 x 4 x 510 mm
Dispensing height	330 mm	330 mm	
Weight	Top with medium cooler: 35 kg Top with large cooler: 40 kg	Top with medium cooler: 33 kg Top with large cooler: 38 kg	base cabinet: 16 kg base plate: 7 kg
Max. power consumption	Top with medium cooler: 440 W Top with large cooler: 540 W	Top with medium cooler: 440 W Top with large cooler: 540 W	
Max flow rate, still water	2 l/min	2 l/min	
Max flow rate, sparkling water	1.6 l/min	-	

The food-grade quality and safety of BRITA water filter products are tested and verified by independent institutions



*applies to all materials that come into contact with water
**applies to Top Pro

Easy Access Panel

Additional control unit for BRITA VIVREAU dispensers.




Design and operation tailored to BRITA VIVREAU water dispensers

Choice of water types in line with the installed BRITA VIVREAU water dispenser

Convenient positioning installation at diverse heights possible

Three installation options

- Angled
- Flat: on countertop
- Flat: on cabinet front



Benefits

- Control unit can be positioned at a low height, e.g. for wheelchair users
- Helps create a barrier-free environment and meet inclusion and anti-discrimination requirements
- Available for different configurations of Top Pro as well as the Extra range



A complete, one-stop solution

Customised products, installation, maintenance, financing and more.





Filtration and hygiene

Water is H₂O - but not just. Tap water varies greatly from place to place. That's why we have created top-notch filtration solutions for over half a century. We are committed to excellent quality - and to outstanding hygiene. Our features ensure great water, at all times.

CLARITY Protect 100


Water filter: Reliably safe, excellent water for your dispenser.



Drinking water is strictly controlled. But in healthcare, and environments which depend on an extra level of safety, only the most thorough, end-to-end water filtration system meets all demands. And it must be multi-stage filtration, not just a single activated carbon filter pass. The CLARITY Protect sets the industry benchmark from the first stage of filtration to the moment your glass is filled with crystal-clear, revivifying water. Over 50 years of German filtration expertise, is offered to you, in our "standard" filter.

BRITA CLARITY Protect 100 is compatible with:

- Top Pro
- Fill Range
- Extra I-Tap
- Extra C-Tap



The right balance
Preserves minerals in water.



Hollow fibre membrane
Filters out 99.999 % of bacteria and 99.95 % of cysts.



Activated carbon filtration
Reduces substances that impair taste and odour.



Pre-filter
Removes coarse particles.



• **Filter capacity:**
Protect 100: 11,500 l

• **Exceptionally clean, safe water**

• **Protects equipment and therefore lowers dispenser maintenance costs**

Benefits of BRITA CLARITY Protect



Reduces fine particles such as microplastics and asbestos fibers



Reduces metals such as lead



Reduces pharmaceuticals, pesticides and hormones



Reduces chlorine taste and odour



Reduces organic impurities



Removes bacteria and cysts

CLARITY Protect 100

Technical data



Model	BRITA CLARITY Protect 100
Technology	activated carbon and hollow fiber membrane filtration
Water intake temperature	4°C to 30°C
Ambient temperature for operation	4°C to 40°C
Ambient temperature for storage / transport	-20°C to 50°C
Water inlet and outlet connection	JG 8 mm
Operating pressure	2 bar to 8.6 bar
Flow rate at 1 bar pressure loss	180 l/h
Nominal filter capacity	11,500 l
Operating position	horizontal or vertical
Efficacy	
Reduction of particles such as micoplastics or sand	≥ 0.5 µm (NSF 42, Class I)
Reduction of asbestos fibres	> 99.9 % (NSF 53 tested by independent laboratory)
Reduction of metals such as lead	> 90 % (DIN EN 14898)
Reduction of chlorine	> 90 % (DIN EN 14898, Class I) and > 50 % (NSF 42)
Reduction of organic impurities such as benzene	> 90 %
Reduction of pharmaceuticals, pesticides and hormones such as naproxen, lindane, estrone	> 90 % up to at least 8,000
Reduction of bacteria	99.999 % (ASTM F838-05)
Reduction of cysts	99.95 % (NSF 53)
Dimensions (W x D x H)	
Filter system (filter head with filter cartridge)	68 x 68 x 338 mm
Filter cartridge	68 x 68 x 311 mm
Installed dimensions (vertical installation with wall mounting bracket)	68 x 74 x 371 mm

The food-grade quality and safety of BRITA water filter products are tested and verified by independent institutions



*applies to all materials that come into contact with water

CLARITY Safe X3


Water filter: A bacterial filter for outstanding hygiene in critical environments.



The CLARITY Safe X3 filter rounds out the BRITA HygienePlus solution. This filter is just upstream of the dispenser outlet tap. So when you draw water, CLARITY Safe X3 removes any potentially remaining bacteria, microbial cysts and other unwanted impurities - right then and there. This final layer of protection guarantees water of outstanding quality and hygiene each and every time you use your dispenser.

BRITA CLARITY Safe X3 is a key component included in:

- Top Pro with HygienePlus
- Extra I-Tap with HygienePlus



Double-layer membrane
Filters out 99.99999 % of bacteria and 99.95 % of cysts.

Benefits of BRITA CLARITY Safe X3



Reduces fine particles such as microplastics



Reduces fine particles such as sand




Reduces bacteria



Reduces microbial cysts

Second safeguard in combination with CLARITY Protect, filters water when dispensing




Filter capacity:
Filter life of up to 6 months

Maximum safety via asymmetrical double-layer membrane

CLARITY Safe X3

Technical data



Model	BRITA CLARITY Safe X3
Operating pressure	2 bar to 10 bar
Flow rate at 1 bar pressure loss	180 l/h
Nominal filter capacity	replace after 6 months
Particle retention	0.2 µm (nominal)
Reduction of bacteria	99.99999 % (ASTM F838-05)
Reduction of health contaminants such as cysts	99.95 % (NSF 53)
Operating position	Horizontal or vertical
Dimensions (W x D x H)	
Filter cartridge	86 x 86 x 112 mm

The food-grade quality and safety of BRITA water filter products are tested and verified by independent institutions




*applies to all materials that come into contact with water

BRITA ThermalGate™

Hygiene feature: BRITA's powerful thermal disinfection solution.




The tap of a typical water dispenser is exposed: a sneeze or touch of a hand, for example, can introduce germs. Without a robust safeguard, microorganisms on the wet tap can go on to contaminate the dispenser. That's why our BRITA VIVREAU dispensers include our ThermalGate™ feature. This automatically and regularly heats the tap to protect against contamination. So you can sit back and relax – knowing you have a proactive, powerful defence against germs, tried and tested by an independent laboratory (Ruhr District Institute of Hygiene).



ThermalGate™
Protects against retrograde contamination.



The tap is automatically heated to over 125°C at regular intervals for thermal disinfection.



ThermalGate™ is continuously active, providing protection not only at peak times, but also during periods of inactivity, e.g. at night or on weekends

Does not require manual effort or chemical additives

Developed on the basis of over 20 years' experience in the healthcare market.



BRITA HygienePlus

Proven three-zone-protection and smart digital monitoring.



Benefits of BRITA HygienePlus

1. The primary safeguard is the CLARITY Protect filter, right at the inlet. This cartridge combines a pre-filter with activated carbon and hollow-fibre membrane technologies. With a pore size of just 0.15 µm, it retains the finest particles such as micro plastics as well as 99.999% of potential bacteria and 99.95% of cysts, in line with NSF 53. What's more, it reduces turbidity, and removes metals such as lead, as well as taste and odour-impairing substances like chlorine. Potentially health affecting substances such as hormones, pesticides and drug residues are all filtered out and coarse particles, such as sand, are captured pre-filtration to protect the device itself.
2. Next in line, is the CLARITY Safe X3. This filter – located directly upstream of the dispenser outlet tap – is a very fine, asymmetrical double-layer membrane that retains any potentially remaining bacteria and cysts just before the water is drawn. The result is excellent water quality that fulfils the highest drinking water standards and filters 99.9999% of bacteria to ensure a reliably safe and thoroughly enjoyable drinking water experience.
3. Any external contaminants are burned away by BRITA's powerful ThermalGate™ feature which automatically and regularly heats the dispenser outlet tap. This protects against any physical contact, coughing or sneezing, and works constantly at peak times, nights and weekends for complete peace-of-mind.
4. Smart digital monitoring tracks filter capacity and ThermalGate functionality.

BRITA HygienePlus dispensers deliver outstandingly hygienic water which fulfils the most stringent drinking water standards including 2020/2184 (EU) and TrinkWV (GER). They are constantly developed and proven in the most sensitive environments where hygiene is of the utmost importance.

