



Discover how BRITA Water Dispenser Solutions elevate your organisation.

Experience hydration.

Free your mind.

Drink better. Do better.

Contact us today: www.brita.net

Introducing Fill Pro

High-capacity, powerhouse dispenser combines speed, style and precision.

- BRITA's most powerful water dispenser with the highest cooling capacity – perfect for busy restaurants, bars, hotels, large offices and events
- Choice of four refreshing water types: unchilled and chilled still, chilled semi-sparkling and sparkling
- Stylish, brushed stainless steel cased unit as a countertop or freestanding installation with no unsightly tanks, bottles or hoses
- Precision vessel positioning on drip tray guides and accurate portion control without a drop of water waste. Hit the button, walk away, collect
- TwinFilling doubles service efficiency by filling two bottles or glasses simultaneously



Fill Pro

High-capacity, powerhouse dispenser combines speed, style and precision.

TwinFilling efficiently fills two bottles/glasses simultaneously

BottleGuard to easily position bottles/glasses on the drip tray for precise filling

Learn more




SmoothFinishing portion control to fill bottles/glasses without overflow

ThermalGate™ powerful thermal-disinfection feature



BRITA CLARITY Protect filter preserves minerals in water while removing unwanted substances



Two installation options:

- Floorstanding
- Countertop

Fill T-Tap/Fill Pro



Technical data

Model					
Design / Type	tap system: without drip tray	tap system: with countertop drip tray	tap system: with integrated drip tray	countertop	base cabinet
Installation scenario	surfaces with existing drip trays, e.g. bars with a waste water connection.	surfaces made of materials difficult to drill (glass, stone, concrete, metal).	surfaces relatively easy to drill, e.g. for a waste water connection.	suitable where there is limited space below the countertop.	flexible installation in diverse scenarios, independent of existing counters, etc.
Types of water					
Configuration options					
Fits into undercounter cabinet with the following dimensions (W x H x D)	waste water container				
Specifications					
Cooling capacity	50-250 regular users				-
Unit dimensions (W x H x D)	tap: 290 x 544 x 128 mm undercounter appliance (cooler): 302 x 603 x 483 mm		401 x 544 x 563 mm		base cabinet: 400 x 910 x 565 mm base plate: 520 x 4 x 564 mm
Dispensing height	383 mm	345 mm	376 mm	345 mm	-
Weight	tap: 5.1 kg undercounter appliance (cooler): 40 kg			42 kg	base cabinet: 22 kg base plate: 10 kg
Max. power consumption	529 W				-
Max. flow rate	2 l/min				-

Base Cabinet

Multiple options for installation.

Install the countertop versions as floorstanding dispensers wherever you need them - no kitchen required




Floorstanding with the optional base plate



Store filter, CO₂-bottle and waste water container



Fix to the wall using optional wall-mount kit



Two installation options:

- Floorstanding
- Wall-mount

Base Cabinet



Technical data

Model	Top Base Cabinet	Fill Base Cabinet
Products	Top Pro & Top Compact	Fill Pro
Types of installation	Freestanding with Base Plate Wallmount	Freestanding with Base Plate Wallmount
Configuration options		
For freestanding installation	Top Base Plate	Fill Base Plate
For wall mount installation	Wall mount kit	Wall mount kit
Specifications		
Cabinet dimensions (W x H x D)	278 x 910 x 518 mm	400 x 910 x 565 mm
Base Plate dimensions (W x H x D)	440 x 4 x 510 mm	520 x 4 x 564 mm
Base Cabinet weight	16 kg	22 kg
Base Plate weight	7 kg	10 kg
Material	Strong powder coating on zinc coated metal	Stainless steel

CLARITY Protect

Water filter: Reliably safe,
excellent water for your dispenser.

Reduces*:

- Particles such as microplastics and sand
- Per- and polyfluoroalkyl substances (PFAS)
- Metals such as lead
- Pharmaceuticals, pesticides and hormones
- Chlorine taste and odour
- Organic impurities
- Asbestos fibres
- Removes bacteria and microbial cysts

*If present in the tap water

Contact us today: www.brita.net



NSF component listed**

*applies to all materials that come into contact with water, ** Tested in a generic housing to a capacity of 11,500 l at 3 LPM for the reduction of Chlorine, Taste and Odour, and Cyst. Health effect testing per NSF/ANS Standard 53 (tested by an independent laboratory)

CLARITY Protect

Water filter: Reliably safe, excellent water for your dispenser.

Mains water is strictly controlled. But healthcare and similar environments where hygiene is of the utmost importance demand an extra level of safety. CLARITY Protect delivers this through multi-stage filtration, rather than a single activated carbon filter. CLARITY Protect sets the industry benchmark from the first stage of filtration to the moment your glass is filled with crystal-clear, refreshing water. We offer you over 50 years of filtration expertise in our “standard” filter.



The right balance — preserves minerals in water



CLARITY Protect reduces*:




Fine particles such as microplastics or sand



Metals such as lead



Pharmaceuticals, pesticides and hormones



Chlorine taste and odour



Organic impurities



Bacteria and cysts



Asbestos fibres



PFAS

*If present in the tap water

Activated carbon filtration reduces substances that impair taste and odour

Pre-filter removes coarse particles



Hollow fibre membrane

Nominal pore size of 0.15 µm filters out 99.999 % of bacteria and 99.95 % of cysts

Filter capacity:

Protect: 11,500 l

Exceptionally clean, safe water

Protects equipment

lowering dispenser maintenance costs

CLARITY Protect



Technical data

Model	BRITA CLARITY Protect 100
Operating pressure	activated carbon and hollow fibre membrane filtration
Water intake temperature	4°C to 30°C
Ambient temperature for operation	4°C to 40°C
Ambient temperature for storage / transport	-20°C to 50°C
Water inlet and outlet connection	JG 8 mm
Operating pressure	2 bar to 8.6 bar
Flow rate at 1 bar pressure loss	180 l/h
Nominal filter capacity	11,500 l
Operating position	horizontal or vertical
Efficacy	
Reduction of particles such as microplastics or sand	≥ 0.5 µm (NSF 42, Class I)
Reduction of asbestos fibres	> 99.9 % (NSF 53 tested by independent laboratory)
Reduction of PFAS	> 99 % (NSF 53 tested by independent laboratory)
Reduction of metals such as lead	> 90 % (DIN EN 14898)
Reduction of chlorine	> 90 % (DIN EN 14898, Class I) and > 50 % (NSF 42)
Reduction of organic impurities such as benzene	> 90 %
Reduction of pharmaceuticals, pesticides and hormones such as naproxen, lindane, estrone	> 90 % up to at least 8,000
Reduction of bacteria	99.999 % (ASTM F838-20)
Reduction of cysts	99.95 % (NSF 53)
Dimensions (W x D x H)	
Filter system (filter head with filter cartridge)	68 x 68 x 338 mm
Filter cartridge	68 x 68 x 311 mm
Installed dimensions (vertical installation with wall mounting bracket)	68 x 74 x 371 mm




BRITA ThermalGate™



Hygiene feature: The patented thermal disinfection solution from BRITA.

The tap of a typical water dispenser is exposed. A sneeze or touch of a hand can introduce germs. Without a robust safeguard, microorganisms on the wet tap can go on to contaminate the dispenser. That's why our BRITA water dispensers include our ThermalGate™ feature. This regularly heats the tap to protect against contamination automatically. You can sit back and relax – knowing your water dispenser has a proactive, powerful defence against germs, tested by an independent laboratory (Ruhr District Institute of Hygiene).


ThermalGate™, protected by patent
EP 3 793 795 B1 in the following countries:
AT, BE, CH, DE, FR, GB, IT, PL, NL, ES




BRITA ThermalGate™

Hygiene feature: The patented thermal disinfection solution from BRITA.

The tap is automatically heated to over 125°C at regular intervals for thermal disinfection.



Contact us today: www.brita.net




ThermalGate™
Protects against retrograde contamination.

ThermalGate™ is continuously active, providing protection not only at peak times, but also during periods of inactivity e.g., at night or on weekends

Does not require manual effort or chemical additives

Developed through over 20 years' experience in the healthcare market

ThermalGate™, protected by patent
EP 3 793 795 B1 in the following countries:
AT, BE, CH, DE, FR, GB, IT, PL, NL, ES



Hydration made easy.

Enhance your daily routines.

BRITA goes beyond dispensers and filters. Our accessories simplify every step of your hydration routine - from dispensing to serving and cleaning - so your organisation experiences water the way it should be: seamless and dependable.


Our premium bottles are designed for easy refills at your water dispenser. Durable and customisable, they fit neatly into dedicated crates for safe storage and transport. To keep hygiene effortless, we also provide practical washing systems and cleaning solutions for bottles and water dispensers.

Just choose whatever fits your needs - and empower your organisation with smoother daily routines and more sustainable workflows. Our best-practice tip? We recommend cleaning your BRITA Water Dispenser daily for extra peace of mind.



Looking for ways to reduce plastic bottle usage?

Replacing plastic bottles with long-lasting BRITA bottles and corresponding accessories is an easy way to make a difference.



Customisable BRITA bottles

Your style. Your identity.

Imagine a premium glass bottle at a meeting or restaurant table, branded with your company logo. What better way to strengthen your image and share your message with full confidence?

BRITA designer bottles are available in various sizes and styles, so you'll always find the right fit for your organisation's needs and culture. Durable and reusable, they replace single-use plastic, cut carbon emissions and make a lasting impression on employees, guests and clients.

And of course: no need for pre-bottled drinks. With BRITA Water Dispensers and the stylish bottles, fresh water is always on tap – simple, efficient and good looking. Hydration that makes a statement – yours.

Contact us today: www.brita.net



Customisable BRITA bottles



The perfect bottle for your dispenser.



			Swing Bottle		Lounge Bottle		Classic Bottle	Wave Bottle			Twist Bottle
		Bottle height	280 mm	320 mm	184 mm	217 mm	323 mm	204 mm	240 mm	240 mm	258 mm
		Dispensing height	425 ml	750 ml	350 ml	750 ml	1000 ml	600 ml*	850 ml*	750 ml	700 ml
	Top Pro	330 mm									
	Top Compact	302 mm									
	Extra I-Tap	260 mm									
		330 mm									
	Extra C-Tap	330 mm									
	Fill T-Tap / Fill Pro	345 mm									

*durable plastic



One partner. Zero hassle.



Everything you need for effortless drinking water.

BRITA Water Dispensers deliver refreshing, filtered water day in, day out — but the experience goes far beyond the dispenser itself. We install, maintain and keep every unit hygienically safe, so you never have to worry about availability.

Replace filters and adjust settings with our state-of-the-art BRITA Dispenser iQ Connect App. Your advantage? Precise diagnosis and error solving, leading to faster service resolution. One small app, but a significant step towards higher service quality!

We also offer financing, rental options and we're always on-hand to answer questions.

With a customised, comprehensive service package, you can enjoy our solutions with total peace of mind.

We're here for you.

Throughout the water dispenser lifecycle.

Safety through maintenance

Regular check-ups are essential for first-rate hygiene. We service water dispensers 1-2 times a year, supported by the BRITA Dispenser iQ Connect App - for clear data insights and maximum performance. Our rental and full-service contracts cover all repairs during the guarantee period.

Reliably high service quality

Our staff are regularly audited, and supervisors visit you to make sure every job meets your expectations in full. Continuous training programmes ensure our service quality stays at the highest possible level.

Advice and more - on tap!

Whether on-site or via hotline, our experts respond quickly and reliably, making sure you're completely satisfied at all times.



BRITA Service benefits

What you get from our full-service maintenance offering.



Cleaning

- Dispenser (interior/exterior) and base cabinet (for floorstanding dispensers)
- Chemical cleaning of all parts that come into contact with water
- Cooling unit fan and ventilation grille
- Drip tray and drain hose (where applicable)
- Dispenser tap and buttons or glass control panel



Visual inspection

- Robustness of dispenser and accessories
- Heat exchanger (cooling)
- Any exterior damage
- Any worn / defective parts
- Any potential leaks
- CO₂ hoses



Filter replacement

- BRITA filter(s) is replaced



Function test

- Set pressure/water (water pressure and pressure regulator)
- Function of the solenoid valves (timing)
- Carbonator-unit sensor probe
- Water meter check with digital/analogue documentation
- Buttons or touch display
- Temperature of dispensed water (cooling)
- CO₂ content (visual inspection of a glass of dispensed water)
- Flow rate of sparking/still water
- Electronics (in line with local requirements)
- BRITA ThermalGate™
- Safety valve of the carbonator-unit
- CO₂ pressure hose (CO₂ bottle / pressure regulator)
- Cooling unit



General

- Refresher training sessions for staff (optional)
- Digitally enhanced service with BRITA Dispenser iQ Connect App due to clear dispenser analysis
- Digital documentation of completed tasks

